

- NOTES:  
 1. HATCHING FOR REFERENCE ONLY, DO NOT INCLUDE HATCHING OR FILLS.  
 2. DRAWING FOR EXAMPLE PURPOSES ONLY, DOES NOT REPRESENT REAL CONDITIONS.

DESCRIPTION: INTERNAL SIDEWALK  
 LAYER: C-ROAD-SWLK

DESCRIPTION: BUILDING EXTERIOR FOOTPRINT  
 LAYER: A-BLDG-FTPR

DESCRIPTION: TRENCH DRAIN  
 LAYER: C-STRM-PIPE

DESCRIPTION: RETENTION POND  
 LAYER: C-POND-TOPB-RET

DESCRIPTION: SAN PIPE TEXT  
 LAYER: C-SSWR-TEXT

DESCRIPTION: SAN PIPE  
 LAYER: C-SSWR-PIPE

DESCRIPTION: STORM STRUCTURE TEXT  
 LAYER: C-STRM-TEXT

DESCRIPTION: PERVIOUS PARKING  
 LAYER: C-ROAD-PARKING-PERVIOUS

DESCRIPTION: STORM PIPE TEXT  
 LAYER: C-STRM-TEXT

DESCRIPTION: STORM PIPE  
 LAYER: C-STRM-PIPE  
 NOTE: SHOW BOTH EX. TO REMAIN AND PROPOSED

DESCRIPTION: PARKING STALLS  
 LAYER: C-ROAD-PARKING  
 NOTES: POLYGON INCLUDES BACK OF CURB

DESCRIPTION: DRIVE AISLE TO FACILITY  
 LAYER: C-ROAD  
 NOTES: POLYGON INCLUDES BACK OF CURB

DESCRIPTION: BUILDING FOOTPRINT OUTLINE (NO EAVES/CANOPY)  
 LAYER: A-BLDG-FPRT

DESCRIPTION: PROPERTY LINE  
 LAYER: C-PROP

DESCRIPTION: CONCRETE PATIO  
 LAYER: C-IMPERV-MISC

DESCRIPTION: SAN PIPE  
 LAYER: C-SSWR-PIPE

DESCRIPTION: SAN PIPE  
 LAYER: C-SSWR-STRC

DESCRIPTION: PERVIOUS PAVEMENT PARKING STALLS  
 LAYER: C-ROAD-PARKING-PERVIOUS  
 NOTES: POLYGON INCLUDES BACK OF CURB

Lot 1  
 CSM 1

DESCRIPTION: LOT NUMBER  
 LAYER: C-PROP-LOTS-NUMB

PROPOSED 6" SANITARY LATERAL  
 ELEV AT BLDG: 859.25'

PRO. 6" PVC 41' SANITARY SEWER LATERAL @ 2.0% SLOPE

36" RCP ON END W/IN BELL SLOTTED GRATE  
 RIM ELEV: 866.00'  
 I.E. 6" NW = 861.83'  
 I.E. 6" NE = 861.83'  
 I.E. 6" S = 861.83'  
 DEPTH: 4.17'


PRO. 12" RCP @ 0.5% SLOPE

PRO. 12" RCP @ 0.5% SLOPE

DESCRIPTION: TOP OF BIORETENTION  
 LAYER: C-POND-TOPB-BIO

# EXAMPLE SITE PLAN SUBMITTAL - A

- NOTES:
1. HATCHING FOR REFERENCE ONLY, DO NOT INCLUDE HATCHING OR FILLS.
  2. DRAWING FOR EXAMPLE PURPOSES ONLY, DOES NOT REPRESENT REAL CONDITIONS.



# EXAMPLE SITE PLAN SUBMITTAL - B

DESCRIPTION: INTERNAL ASPHALT PATH  
LAYER: C-ROAD-SWLK

DESCRIPTION: BUILDING FOOTPRINT (EXCLUDES EAVES)  
LAYER: A-BLDG-FPRT

DESCRIPTION: CONCRETE PATIO  
LAYER: C-ROAD-SWLK

DESCRIPTION: LOT NUMBER  
LAYER: C-PROP-LOTS-NUMB

Lot 3  
CSM 3

DESCRIPTION: ASPHALT BASKETBALL COURT  
LAYER: C-IMPERV-MISC

DESCRIPTION: SANITARY SEWER PIPE  
LAYER: C-SSWR-PIPE

WALTER STREET

DESCRIPTION: STREET NAME  
LAYER: C-ROAD-TEXT

DESCRIPTION: STORM SEWER PIPE AND PIPE INFORMATION  
LAYER: C-SSWR-PIPE

DESCRIPTION: PROPERTY BOUNDARY  
LAYER: C-PROP-BNDY

DESCRIPTION: STORM STRUCTURE INFORMATION  
LAYER: C-STRM-TEXT

DESCRIPTION: ASPHALT PARKING LOT  
LAYER: C-ROAD-PARKING

DESCRIPTION: TOP OF BIORETENTION  
LAYER: C-POND-TOPB-BIO

DESCRIPTION: ASPHALT ENTRANCE DRIVE  
LAYER: C-ROAD

DESCRIPTION: STORM STRUCTURE TEXT  
LAYER: C-SSTM-TEXT

S-9  
H INLET W/3067-7004  
TC=853.75  
EI=850.55  
D=3.20

S-8  
H INLET W/ 3067-7004  
TC=853.75  
EI=850.00  
D=3.75

S-5  
FIELD POUR  
H INLET W/3067-7004  
TC=852.50  
EI=849.85  
D=2.65

S-7  
H INLET W/3067-7004  
TC=852.50  
EI=849.30  
D=3.20

S-6  
12"-RCP AT W/GATE  
CONC COLLAR  
EI=848.61

S-10  
FIELD POUR  
H INLET W/1878-B7G  
TC=849.11  
EI(12")=846.55  
D=2.06

S-1  
4X4 SAS  
W/1550-0054  
TC=851.25  
EI(30")=845.65  
EI(12")=846.40

- NOTES:
- HATCHING FOR REFERENCE ONLY, DO NOT INCLUDE HATCHING OR FILLS.
  - DRAWING FOR EXAMPLE PURPOSES ONLY, DOES NOT REPRESENT REAL CONDITIONS.

# EXAMPLE SITE PLAN SUBMITTAL - C