BID OF			
2024			
PROPOSAL, CONTRACT, BOND AND SPECIFICATIONS			
FOR			
CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024			
CONTRACT NO. 9487			
MUNIS NO. 14923			
IN			
MADISON, DANE COUNTY, WISCONSIN			
AWARDED BY THE COMMON COUNCIL MADISON, WISCONSIN ON			
CITY ENGINEERING DIVISION 1600 EMIL STREET			

MADISON, WISCONSIN 53713

https://bidexpress.com/login

INDEX

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS	A-1
SECTION B: PROPOSAL SECTION	B-1
SECTION C: SMALL BUSINESS ENTERPRISE	C-1
SECTION D: SPECIAL PROVISIONS	D-1
SECTION E: BIDDER'S ACKNOWLEDGEMENT	E-1
SECTION F: BEST VALUE CONTRACTING	F-1
SECTION G: BID BOND	G-1
SECTION H: AGREEMENT	H-1
SECTION I: PAYMENT AND PERFORMANCE BOND	I-1

This Proposal, and Agreement have been prepared by:

CITY ENGINEERING DIVISION CITY OF MADISON MADISON, DANE COUNTY, WISCONSIN

James M. Wolfe, P.E., City Engineer

JMW: ec

SECTION A: ADVERTISEMENT FOR BIDS AND INSTRUCTIONS TO BIDDERS

REQUEST FOR BID FOR PUBLIC WORKS CONSTRUCTION CITY OF MADISON, WISCONSIN

A BEST VALUE CONTRACTING MUNICIPALITY

PROJECT NAME:	CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024
CONTRACT NO.:	9487
SBE GOAL	3%
BID BOND	5%
SBE PRE BID MEETING (2:00 P.M.)	4/16/2024
PREQUALIFICATION APPLICATION DUE (2:00 P.M.)	4/18/2024
BID SUBMISSION (2:00 P.M.)	4/25/2024
BID OPEN (2:30 P.M.)	4/25/2024
PUBLISHED IN WSJ	4/4/2024, 4/11/2024 & 4/18/2024

<u>SBE PRE BID MEETING</u>: Pre-Bid Meetings are being held virtually. Advance registration is required. Visit the SBE Meeting web page on Engineering's web site:

https://www.cityofmadison.com/engineering/developers-contractors/contractors/how-to-bid-public-works-contracts/small-business.

Questions regarding SBE Program requirements may be directed to Tracy Lomax, Affirmative Action Division. Tracy may be reached at (608) 267-8634, or by email, TLomax@cityofmadison.com.

<u>PREQUALIFICATION</u>: Forms are available on our website, <u>www.cityofmadison.com/engineering/developers-contractors/contractors/how-to-get-prequalified</u>. If not currently prequalified in the categories listed in Section A, an amendment to your Prequalification will need to be submitted prior to the same due date. Postmark is not applicable.

<u>BIDS TO BE SUBMITTED</u>: by hand to 1600 EMIL ST., MADISON, WI 53713 or online at <u>www.bidexpress.com</u>.

Bids may be submitted on line through Bid Express or in person at 1600 Emil St. The bids will be posted on line after the bid opening. If you have any questions, please call Alane Boutelle at (608) 267-1197, or John Fahrney at (608) 266-9091.

STANDARD SPECIFICATIONS

The City of Madison's Standard Specifications for Public Works Construction - 2024 Edition, as supplemented and amended from time to time, forms a part of these contract documents as if attached hereto.

These standard specifications are available on the City of Madison Public Works website, www.cityofmadison.com/engineering/developers-contractors/standard-specifications.

The Contractor shall review these Specifications prior to preparation of proposals for the work to be done under this contract, with specific attention to Article 102, "BIDDING REQUIREMENTS AND CONDITIONS" and Article 103, "AWARD AND EXECUTION OF THE CONTRACT." For the convenience of the bidder, below are highlights of three subsections of the specifications.

SECTION 102.1: PRE-QUALIFICATION OF BIDDERS

In accordance with Wisconsin State Statutes 66.0901 (2) and (3), all bidders must submit to the Board of Public Works proof of responsibility on forms furnished by the City. The City requires that all bidders be qualified on a biennial basis.

Bidders must present satisfactory evidence that they have been regularly engaged in the type of work specified herein and they are fully prepared with necessary capital, materials, machinery and supervisory personnel to conduct the work to be contracted for to the satisfaction of the City. All bidders must be prequalified by the Board of Public Works for the type of construction on which they are bidding prior to the opening of the bid.

In accordance with Section 39.02(9)(a)l. of the General Ordinances, all bidders shall submit in writing to the Affirmative Action Division Manager of the City of Madison, a Certificate of Compliance or an Affirmative Action Plan at the same time or prior to the submission of the proof of responsibility forms.

The bidder shall be disqualified if the bidder fails to or refuses to, prior to opening of the bid, submit a Certificate of compliance, Affirmative Action Plan or Affirmative Action Data Update, as applicable, as defined by Section 39.02 of the General Ordinances (entitled Affirmative Action) and as required by Section 102.11 of the Standard Specifications.

SECTION 102.4 PROPOSAL

No bid will be accepted that does not contain an adequate or reasonable price for each and every item named in the Schedule of Unit Prices.

A lump sum bid for the work in accordance with the plans and specifications is required. The lump sum bid must be the same as the total amounts bid for the various items and it shall be inserted in the space provided.

All papers bound with or attached to the proposal form are considered a part thereof and must not be detached or altered when the proposal is submitted. The plans, specifications and other documents designated in the proposal form will be considered a part of the proposal whether attached or not.

A proposal submitted by an individual shall be signed by the bidder or by a duly authorized agent. A proposal submitted by a partnership shall be signed by a member/partner or by a duly authorized agent thereof. A proposal submitted by a corporation shall be signed by an authorized officer or duly authorized registered agent of such corporation, and the proposal shall show the name of the State under the laws of which such corporation was chartered. The required signatures shall in all cases appear in the space provided thereof on the proposal.

Each proposal shall be placed, together with the proposal guaranty, in a sealed envelope, so marked as to indicate name of project, the contract number or option to which it applies, and the name and address of the Contractor or submitted electronically through Bid Express (www.bidexpress.com). Proposals will be accepted at the location, the time and the date designated in the advertisement. Proposals received after the time and date designated will be returned to the bidder unopened.

SECTION 102.5: BID DEPOSIT (PROPOSAL GUARANTY)

All bids, sealed or electronic, must be accompanied with a Bid Bond (City of Madison form) equal to at least 5% of the bid or a Certificate of Annual/Biennial Bid Bond or certified check, payable to the City Treasurer. Bid deposit of the successful bidders shall be returned within forty-eight (48) hours following execution of the contract and bond as required.

MINOR DISCREPENCIES

Bidder is responsible for submitting all forms necessary for the City to determine compliance with State and City bidding requirements. Nothwithstanding any language to the contrary contained herein, the City may exercise its discretion to allow bidders to correct or supplement submissions after bid opening, if the minor discrepancy, bid irregularity or omission is insignificant and not one related to price, quality, quantity, time of completion or performance of the contract.

Bidders for this Contract(s) must be Pre-Qualified for at least one of the following type(s) of construction denoted by an \boxtimes

Build	ding	<u>q Demolition</u>			
101		Asbestos Removal	110		Building Demolition
120	_	House Mover			9
0	_	Tiodoo Motol			
Stre	et	Utility and Site Construction			
201		Asphalt Paving	265	П	Retaining Walls, Precast Modular Units
205		Blasting		_	Retaining Walls, Reinforced Concrete
210	Ш	Boring/Pipe Jacking	275	Ш	Sanitary, Storm Sewer and Water Main
215		Concrete Paving			Construction
220	_	Con. Sidewalk/Curb & Gutter/Misc. Flat Work	276	П	Sawcutting
221	_	Concrete Bases and Other Concrete Work			Sewer Lateral Drain Cleaning/Internal TV Insp.
	=				
222		Concrete Removal			Sewer Lining
225	Ш	Dredging	290	Ш	Sewer Pipe Bursting
230		Fencing	295		Soil Borings
235		Fiber Optic Cable/Conduit Installation			Soil Nailing
240		Grading and Earthwork			Storm & Sanitary Sewer Laterals & Water Svc.
				_	•
241	닏	Horizontal Saw Cutting of Sidewalk			Street Construction
242	Ш	Hydro Excavating			Street Lighting
243		Infrared Seamless Patching	318		Tennis Court Resurfacing
245	П	Landscaping, Maintenance			Traffic Signals
246	Ħ	Ecological Restoration			Traffic Signing & Marking
	H	Landananian Cita and Charat			
250		Landscaping, Site and Street			Tree pruning/removal
251	Ш	Parking Ramp Maintenance			Tree, pesticide treatment of
252		Pavement Marking	335		Trucking
255		Pavement Sealcoating and Crack Sealing			Utility Transmission Lines including Natural Gas,
260		Petroleum Above/Below Ground Storage	0.0	_	Electrical & Communications
200	ш	· · · · · · · · · · · · · · · · · · ·	200		
	_	Tank Removal/Installation	399	\boxtimes	Other UV SEWER LINING
262	Ш	Playground Installer			
- · ·		• • •			
Brid	ge	<u>Construction</u>			
501	\Box	Bridge Construction and/or Repair			
	_	9			
Build	dino	g Construction			
			127		Motolo
401	ш	Floor Covering (including carpet, ceramic tile installation,		_	Metals
	_	rubber, VCT			Painting and Wallcovering
402		Building Automation Systems	445		Plumbing
403		Concrete	450		Pump Repair
404	=	Doors and Windows			Pump Systems
	=				
405	_	Electrical - Power, Lighting & Communications			Roofing and Moisture Protection
410	\sqcup	Elevator - Lifts	464	닏	Tower Crane Operator
412	Ш	Fire Suppression	461	Ш	Solar Photovoltaic/Hot Water Systems
413		Furnishings - Furniture and Window Treatments	465		Soil/Groundwater Remediation
415		General Building Construction, Equal or Less than \$250,000			Warning Sirens
420		General Building Construction, \$250,000 to \$1,500,000			Water Supply Elevated Tanks
425		General Building Construction, Over \$1,500,000			Water Supply Wells
428	\sqcup	Glass and/or Glazing	480	Ш	Wood, Plastics & Composites - Structural &
429		Hazardous Material Removal			Architectural
430					
433		Heating Ventilating and Air Conditioning (HVAC)	499	П	Other
		Heating, Ventilating and Air Conditioning (HVAC)	499		Other
435		Insulation - Thermal	499		Other
700		• • • • • • • • • • • • • • • • • • • •	499		Other
		Insulation - Thermal Masonry/Tuck pointing	499		Other
		Insulation - Thermal Masonry/Tuck pointing	499		Other
Stat	_ е о	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications			
	_ е о	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet			
Stat 1	□ e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts.	and cl	ose	r to inhabited buildings for quarries, open pits and
Stat	□ e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet	and cl	ose	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site
Stat 1	e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground	and cl and cl excav	ose ose	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height.
Stat 1	e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet	and cl and cl excav	ose ose	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height.
<u>Stat</u> 1 2	e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure.	and cl and cl excaveres gre	ose ose ⁄atio	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height.
<u>Stat</u> 1 2 3	e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure the objects or purposes listed as "Class 5 Blaster or Class 6 B	and cl and cl excaveres gre	ose ose atic	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. er than 15' in height, bridges, towers, and any of
<u>Stat</u> 1 2 3	e <u>o</u>	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure the objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I	and cl and cl excaveres greatlaster	oseroserication	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. In than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.)
<u>Stat</u> 1 2 3	e <u>o</u>	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as	and cl and cl excaveres gre laster nstalla	ose ation	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. Fr than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Department
<u>Stat</u> 1 2 3	e <u>o</u>	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure the objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I	and cl and cl excaveres gre laster nstalla	ose ation	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. Fr than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Department
<u>Stat</u> 1 2 3	e <u>o</u>	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as	and cl excaveres greatlaster nstallabestos the fol	oser vatic vatic eate '. atior s an	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. In than 15 in height, bridges, towers, and any of a (Attach copies of State Certifications.) In lead abatement per the Wisconsin Department ing link for application:
<u>Stat</u> 1 2 3	e <u>o</u>	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert. State of Wisconsin Petroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert.	and cl excaveres greatlaster nstallabestos the fol	oser vatic vatic eate '. atior s an	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. In than 15 in height, bridges, towers, and any of a (Attach copies of State Certifications.) In lead abatement per the Wisconsin Department ing link for application:
Stat 1 2 3 4 5	e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert . State of Wisconsin Peattached.	and cl and cl excaveres gro laster nstalla bestos the fol erforma	oser vatice eate '. s an lowi	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. For than 15 in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Departmenting link for application:
<u>Stat</u> 1 2 3	e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 B Petroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert . State of Wisconsin Peattached. Certification number as a Certified Arborist or Certified Tree W	and cl and cl excaveres gro laster nstalla bestos the fol erforma	oser vatice eate '. s an lowi	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. For than 15 in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Departmenting link for application:
Stat 1 2 3 4 5	e o e o e o e o e o e o e o e o e o e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet aroad cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet are excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure the objects or purposes listed as "Class 5 Blaster or Class 6 Betroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert . State of Wisconsin Peattached. Certification number as a Certified Arborist or Certified Tree WArboriculture	and clean cl	oseroseroseroseroseroseroseroseroseroser	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. For than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Department ing link for application: e of Asbestos Abatement Certificate must be administered by the International Society of
Stat 1 2 3 4 5	e o e o e o e o e o e o e o e o e o e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 Betroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert . State of Wisconsin Petattached. Certification number as a Certified Arborist or Certified Tree Warboriculture Pesticide application (Certification for Commercial Applicator Fermions)	and cl and cl excavers gresilaster statella bestose the fol erforma	osei osei vatio eate '. itior ance as a	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. For than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Department ing link for application: e of Asbestos Abatement Certificate must be administered by the International Society of
Stat 1 2 3 4 5	e o e o e o e o e o e o e o e o e o e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet aroad cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet are excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure the objects or purposes listed as "Class 5 Blaster or Class 6 Betroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert . State of Wisconsin Peattached. Certification number as a Certified Arborist or Certified Tree WArboriculture	and cl and cl excavers gresilaster statella bestose the fol erforma	osei osei vatio eate '. itior ance as a	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. For than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Department ing link for application: e of Asbestos Abatement Certificate must be administered by the International Society of
Stat 1 2 3 4 5	e o e o e o e o e o e o e o e o e o e o	Insulation - Thermal Masonry/Tuck pointing f Wisconsin Certifications Class 5 Blaster - Blasting Operations and Activities 2500 feet road cuts. Class 6 Blaster - Blasting Operations and Activities 2500 feet excavations, basements, underwater demolition, underground Class 7 Blaster - Blasting Operations and Activities for structure objects or purposes listed as "Class 5 Blaster or Class 6 Betroleum Above/Below Ground Storage Tank Removal and I Hazardous Material Removal (Contractor to be certified for as of Health Services, Asbestos and Lead Section (A&LS).) See www.dhs.wisconsin.gov/Asbestos/Cert. State of Wisconsin Petattached. Certification number as a Certified Arborist or Certified Tree Warboriculture Pesticide application (Certification for Commercial Applicator Flandscape (3.0) and possess a current license issued by the E	and cl and cl excavers gresilaster statella bestose the fol erforma	osei osei vatio eate '. itior ance as a	r to inhabited buildings for quarries, open pits and r to inhabited buildings for trenches, site ons, or structures 15 feet or less in height. For than 15' in height, bridges, towers, and any of a (Attach copies of State Certifications.) d lead abatement per the Wisconsin Department ing link for application: e of Asbestos Abatement Certificate must be administered by the International Society of

SECTION B: PROPOSAL

Please refer to the Bid Express Website at https://bidexpress.com look up contract number and go to Section B: Proposal Page

You can access all City of Madison bid solicitations for FREE at www.bidexpress.com

Click on the "Register for Free" button and follow the instructions to register your company and yourself. You will be asked for a payment subscription preference, since you may wish to bid online someday. Simply choose the method to pay on a 'per bid' basis. This requires no payment until / unless you actually bid online. You can also choose the monthly subscription plan at this time. You will, however, be asked to provide payment information. Remember, you can change your preference at anytime. You will then be able to complete your free registration and have full access to the site. Your free access does not require completion of the 'Digital ID' process, so you will have instant access for viewing and downloading. To be prepared in case you ever do wish to bid online, you may wish to establish your digital ID also, since you cannot bid without a Digital ID.

B-1

If you have any problems with the free registration process, you can call the bidexpress help team, toll free at 1-888-352-2439 (option 1, option1).

SECTION C: SMALL BUSINESS ENTERPRISE

Instructions to Bidders City of Madison SBE Program Information

2 Small Business Enterprise (SBE) Program Information

2.1 Policy and Goal

The City of Madison reaffirms its policy of nondiscrimination in the conduct of City business by maintaining a procurement process which remains open to all who have the potential and ability to sell goods and services to the City. It is the policy of the City of Madison to allow Small Business Enterprises (SBE) maximum feasible opportunity to participate in City of Madison contracting. The bidder acknowledges that its bid has been submitted in accordance with the SBE program and is for the public's protection and welfare.

Please refer to the "ADVERTISEMENT FOR BIDS" for the goal for the utilization of SBEs on this project. SBEs may participate as subcontractors, vendors and/or suppliers, which provide a commercially useful function. The dollar value for SBE suppliers or 'materials only' vendors shall be discounted to 60% for purposes of meeting SBE goals.

A bidder which achieves or exceeds the SBE goal will be in compliance with the SBE requirements of this project. In the event that the bidder is unable to achieve the SBE goal, the bidder must demonstrate that a good faith effort to do so was made. Failure to either achieve the goal or demonstrate a good faith effort to do so will be grounds for the bidder being deemed a non-responsible contractor ineligible for award of this contract.

A bidder may count towards its attainment of the SBE goal only those expenditures to SBEs that perform a commercially useful function. For purposes of evaluating a bidder's responsiveness to the attainment of the SBE goal, the contract participation by an SBE is based on the percentage of the total base bid proposed by the Contractor. The total base bid price is inclusive of all addenda.

Work performed by an SBE firm in a particular transaction can be counted toward the goal only if it involves a commercially useful function. That is, in light of industry practices and other relevant considerations, does the SBE firm have a necessary and useful role in the transaction, of a kind for which there is a market outside the context of the SBE Program, or is the firm's role a superfluous step added in an attempt to obtain credit towards goals? If, in the judgment of the Affirmative Action Division, the SBE firm will not perform a commercially useful function in the transaction, no credit towards goals will be awarded.

The question of whether a firm is performing a commercially useful function is completely separate from the question of whether the firm is an eligible SBE. A firm is eligible if it meets the definitional criteria and ownership and control requirements, as set forth in the City of Madison's SBE Program.

If the City of Madison determines that the SBE firm is performing a commercially useful function, then the City of Madison must then decide what that function is. If the commercially useful function is that of an SBE vendor / supplier that regularly transacts business with the respective product, then the City of Madison will count 60% of the value of the product supplied toward SBE goals.

To be counted, the SBE vendor / supplier must be engaged in selling the product in question to the public. This is important in distinguishing an SBE vendor / supplier, which has a regular trade with a variety of customers, from a firm which performs supplier-like functions on an <u>ad hoc</u> basis or for only one or two contractors with whom it has a special relationship.

A supplier of bulk goods may qualify as an eligible SBE vendor / supplier if it either maintains an inventory or owns or operates distribution equipment. With respect to the distribution equipment; e.g., a fleet of trucks, the term "operates" is intended to cover a situation in which the supplier leases the equipment on a regular basis for its entire business. It is not intended to cover a situation in which the firm simply provides drivers for trucks owned or leased by another party; e.g., a prime contractor, or leases such a party's trucks on an <u>ad hoc</u> basis for a specific job.

If the commercially useful function being performed is not that of a qualified SBE vendor / supplier, but rather that of delivery of products, obtaining bonding or insurance, procurement of personnel, acting as a broker or manufacturer's representative in the procurement of supplies, facilities, or materials, etc., only the fees or commissions will apply towards the goal.

For example, a business that simply transfers title of a product from manufacturer to ultimate purchaser; e. g., a sales representative who re-invoices a steel product from the steel company to the Contractor, or a firm that puts a product into a container for delivery would not be considered a qualified SBE vendor / supplier. The Contractor would not receive credit based on a percentage of the cost of the product for working with such firms.

Concerning the use of services that help the Contractor obtain needed supplies, personnel, materials or equipment to perform a contract: only the fee received by the service provider will be counted toward the goal. For example, use of a SBE sales representative or distributor for a steel company, if performing a commercially useful function at all, would entitle the Contractor receiving the steel to count only the fee paid to the representative or distributor toward the goal. This provision would also govern fees for professional and other services obtained expressly and solely to perform work relating to a specific contract.

Concerning transportation or delivery services: if an SBE trucking company picks up a product from a manufacturer or a qualified vendor / supplier and delivers the product to the Contractor, the commercially useful function it is performing is not that of a supplier, but simply that of a transporter of goods. Unless the trucking company is itself the manufacturer or a qualified vendor / supplier in the product, credit cannot be given based on a percentage of the cost of the product. Rather, credit would be allowed for the cost of the transportation service.

The City is aware that the rule's language does not explicitly mention every kind of business that may contribute work on this project. In administering these programs, the City would, on a case-by-case basis, determine the appropriate counting formula to apply in a particular situation.

2.2 Contract Compliance

Questions concerning the SBE Program shall be directed to the Contract Compliance Officer of the City of Madison Department of Civil Rights, Affirmative Action Division, 210 Martin Luther King, Jr. Blvd., Room 523, Madison, WI 53703; telephone (608) 266-4910.

2.3 Certification of SBE by City of Madison

The Affirmative Action Division maintains a directory of SBEs which are currently certified as such by the City of Madison. Contact the Contract Compliance Officer as indicated in Section 2.2 to receive a copy of the SBE Directory or you may access the SBE Directory online at www.cityofmadison.com/civil-rights/contract-compliance/targeted-business-enterprise.

All contractors, subcontractors, vendors and suppliers seeking SBE status must complete and submit the **Targeted Business Certification Application** to the City of Madison Affirmative Action Division by the time and date established for receipt of bids. A copy of the Targeted Business Certification Application is available by contacting the Contract Compliance Officer at the address and telephone indicated in Section 2.2 or you may access the Targeted Business Certification Application online at <a href="https://www.cityofmadison.com/civil-rights/contract-compliance/targeted-business-enterprise-programs/targeted-business-enterprise-

2.4 Small Business Enterprise Compliance Report

2.4.1 **Good Faith Efforts**

Bidders shall take all necessary affirmative steps to assure that SBEs are utilized when possible and that the established SBE goal for this project is achieved. A contractor who self performs a portion of the work, and is pre-qualified to perform that category of work, may subcontract that portion of the work, but shall not be required to do so. When a bidder is unable to achieve the established SBE goal, the bidder must demonstrate that a good faith effort to do so was made. Such a good faith effort should include the following:

- 2.4.1.1 Attendance at the pre-bid meeting.
- 2.4.1.2 Using the City of Madison's directory of certified SBEs to identify SBEs from which to solicit bids.
- 2.4.1.3 Assuring that SBEs are solicited whenever they are potential sources.
- 2.4.1.4 Referring prospective SBEs to the City of Madison Affirmative Action Division for certification.
- 2.4.1.5 Dividing total project requirements into smaller tasks and/or quantities, where economically feasible, to permit maximum feasible SBE participation.
- 2.4.1.6 Establishing delivery schedules, where requirements permit, which will encourage participation by SBEs.
- 2.4.1.7 Providing SBEs with specific information regarding the work to be performed.
- 2.4.1.8 Contacting SBEs in advance of the deadline to allow such businesses sufficient time to prepare a bid.
- 2.4.1.9 Utilizing the bid of a qualified and competent SBE when the bid of such a business is deemed reasonable (i.e. 5% above the lowest bidder), although not necessarily low.
- 2.4.1.10 Contacting SBEs which submit a bid, to inquire about the details of the bid and confirm that the scope of the work was interpreted as intended.
- 2.4.1.11 Completion of Cover Page (page C-6), Summary Sheet (page C-7) and SBE Contact Reports (pages C-8 and C9) if applicable.

2.4.2 Reporting SBE Utilization and Good Faith Efforts

The Small Business Enterprise Compliance Report is to be submitted by the <u>bidder</u> with the bid: This report is due by the specified bid closing time and date. Bids submitted without a completed SBE Compliance Report as outlined below may be deemed non-responsible and the bidder ineligible for award of this contract. Nothwithstanding any language to the contrary contained herein, the City may exercise its discretion to allow bidders to correct or supplement submissions after bid opening, if the minor discrepancy, bid irregularity or omission is insignificant and not one related to price, quality, quantity, time of completion, performance of the contract, or percentage of SBE utilization.

- 2.4.2.1 If the Bidder <u>meets or exceeds</u> the goal established for SBE utilization, the Small Business Enterprise Compliance Report shall consist of the following:
 - 2.4.2.1.1 Cover Page, Page C-6; and
 - 2.4.2.1.2 **Summary Sheet,** C-7.
- 2.4.2.2 If the bidder <u>does not meet</u> the goal established for SBE utilization, the Small Business Enterprise Compliance Report shall consist of the following:
 - 2.4.2.2.1 **Cover Page**, Page C-6;
 - 2.4.2.2.2 **Summary Sheet,** C-7; and
 - 2.4.2.2.3 **SBE Contact Report**, C-8 and C-9. (A <u>separate</u> Contact Report must be completed for <u>each applicable</u> SBE which is not utilized.)

2.5 Appeal Procedure

A bidder which does not achieve the established goal and is found non-responsible for failure to demonstrate a good faith effort to achieve such goal and subsequently denied eligibility for award of contract may appeal that decision to the Small Business Enterprises Appeals Committee. All appeals shall be made in writing, and shall be delivered to and received by the City Engineer no later than 4:30 PM on the third business day following the bidder's receipt of the written notification of ineligibility by the Affirmative Action Division Manager. Postmark not acceptable. The notice of appeal shall state the basis for the appeal of the decision of the Affirmative Action Division Manager. The Appeal shall take place in accordance with Madison General Ordinance 33.54.

2.6 SBE Requirements After Award of the Contract

The successful bidder shall identify SBE subcontractors, suppliers and vendors on the subcontractor list in accordance with the specifications. The Contractor shall submit a detailed explanation of any variances between the listing of SBE subcontractors, vendors and/or suppliers on the subcontractor list and the Contractor's SBE Compliance Report for SBE participation.

No change in SBE subcontractors, vendors and/or suppliers from those SBEs indicated in the SBE Compliance Report will be allowed without prior approval from the Engineer and the Affirmative Action Division. The contractor shall submit in writing to the City of Madison Affirmative Action Division a request to change any SBE citing specific reasons which necessitate such a change. The Affirmative Action Division will use a general test of reasonableness in approving or rejecting the contractor's request for change. If the request is approved, the Contractor will make every effort to utilize another SBE if available.

The City will monitor the project to ensure that the actual percentage commitment to SBE firms is carried out.

2.7 SBE Definition and Eligibility Guidelines

A Small Business Enterprise is a business concern awarded certification by the City of Madison. For the purposes of this program a Small Business Enterprise is defined as:

- A. An independent business operated under a single management. The business may not be a subsidiary of any other business and the stock or ownership may not be held by any individual or any business operating in the same or a similar field. In determining whether an entity qualifies as a SBE, the City shall consider all factors relevant to being an independent business including, but not limited to, the date the business was established, adequacy of its resources for the work in which it proposes to involve itself, the degree to which financial, equipment leasing and other relationships exist with other ineligible firms in the same or similar lines of work. SBE owner(s) shall enjoy the customary incidents of ownership and shall share in the risks and profits commensurate with their enjoyment interests, as demonstrated by an examination of the substance rather than form or arrangements that may be reflected in its ownership documents.
- B. A business that has averaged no more than \$4.0 million in annual gross receipts over the prior three year period and the principal owner(s) do not have a personal net worth in excess of \$1.32 million.

Firm and/or individuals that submit fraudulent documents/testimony may be barred from doing business with the City and/or forfeit existing contracts.

SBE certification is valid for one (1) year unless revoked.

Small Business Enterprise Compliance Report

This information may be submitted electronically through Bid Express or submitted with bid in sealed envelope.

Cover Sheet

<u>Prime Bidder Information</u>	
Company:	
Address:	
Telephone Number:	Fax Number:
Contact Person/Title:	
Prime Bidder Certification	
I,Name	,of
Name	
Company	certify that the information
contained in this SBE Compliance Report is true and	I correct to the best of my knowledge and belief.
Witness' Signature	Bidder's Signature
Date	

Small Business Enterprise Compliance Report

Summary Sheet

SBE Subcontractors Who Are NOT Suppliers

Name(s) of SBEs Utilized	Type of Work	% of Total Bid Amount
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
		%
Subtotal SBE who are NOT suppliers:		%
SBE Subcontractors Who Are Suppliers		
Name(s) of SBEs Utilized	Type of Work	% of Total Bid Amount
		%
		%
		%
		%
		%
		%
Subtotal Contractors who are suppliers:	% x 0.6 =	% (discounted to 60%)
Total Percentage of SBE Utilization:	%.	

Small Business Enterprise Compliance Report

SBE Contact Report

Submit <u>separate</u> copy of this form for <u>each</u> SBE which you are not able to utilize towards meeting the SBE goal for this project. Attach separate sheets if necessary.

SBE I	<u>nformation</u>		
Comp	pany:		
Addre	ess:		
Telep	hone Number:		
	act Person/Title:		
1.	Outline below all efforts to solicit a bid from the above SBE. Include date, means of contact, who from your company made this contact and the result.		
2.	Describe the information provided to the aforementioned SBE regarding the scope of work for which he/she was to provide a bid.		
	Is this the same scope of work on which the subcontractor you intend to utilize based his/her bid?		
	☐ Yes ☐ No		
3.	Did this SBE submit a bid? ☐ Yes ☐ No		
4.	Is the General Contractor pre-qualified to self-perform this category of work?		
	☐ Yes ☐ No		

reque	responded "Yes" to Question 3, please check the items below which apply and provide the sted detail. If you responded "No" to Question 3, please skip ahead to item 6 below.
	The SBE listed above is unavailable for work on this project for the following reasons Provide specific detail for this conclusion.
	The SBE listed above is unqualified for work on this project. Provide specific details fo this conclusion.
	The SBE listed above provided a price that was unreasonable (i.e. more than 5% above the lowest bidder). Provide specific detail for this conclusion including the SBE's price and the price of the subcontractor you intend to utilize.
	A contract with the SBE listed above may constitute a breach of the bidder's collective bargaining agreements. Provide specific detail for this conclusion including, but no limited to, correspondence from the SBE indicating it will not sign a project labor agreement and/or correspondence from the applicable trade union indicating a project labor agreement will not be allowed at the time of project bidding.
	Other; please specify reason(s) other than listed above which made it impossible for you to utilize this SBE on this project.

SECTION D: SPECIAL PROVISIONS

CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024 CONTRACT NO. 9487

It is the intent of these Special Provisions to set forth the final contractual intent as to the matter involved and shall prevail over the Standard Specifications and plans whenever in conflict therewith. In order that comparisons between the Special Provisions can be readily made, the numbering system for the Special Provisions is equivalent to that of the Specifications.

Whenever in these Specifications the term "Standard Specifications" appears, it shall be taken to refer to the City of Madison Standard Specifications for Public Works Construction and Supplements thereto.

SECTION 102.1 PRE-QUALIFICATION OF BIDDERS

CATEGORY #399 UV SEWER LINING

UV CIPP sewer lining construction requires specific and extensive knowledge and experience in UV light cured sewer lining. A resume of qualifications shall be submitted to determine if the Contractor performing the work will be prequalified under prequalification item #399, UV Sewer Lining.

The Contractor performing the work shall submit documentation demonstrating that they clearly meet the minimum qualifications as stated below:

- Contractor, or the Contractor Subcontractor, must show that they have successfully installed a
 minimum of 30,000 linear feet of UV cured CIPP sewer liner using the same UV CIPP lining
 system that will be used for this contract. The 30,000 linear feet shall be installed in sanitary
 sewer gravity mains of various sizes only. Any UV CIPP installed in water main shall not apply.
- Contractor, or the Contractor Subcontractor, must show that the Contractor project supervisor or
 foreperson that will be overseeing the installation crew (needs to be onsite at all times liner
 installation is occurring) has successfully installed a minimum of 20,000 linear feet of UV cured
 CIPP sewer liner using the same UV CIPP lining system that will be used for this contract. The
 20,000 linear feet shall be installed in sanitary sewer gravity mains of various sizes only. Any UV
 CIPP installed in water main shall not apply.

In addition to meeting pre-qualification requirements for UV Sewer Lining, the Contractor must also be prequalified by the City of Madison under prequalification item #285, Sewer Lining, to be considered for this project.

Submission of qualifications shall be made to the Project Engineer on or before April 16, 2024 at 2:00pm. The Engineer shall then respond to the Contractor accepting or denying qualifications and eligibility to bid on the project by April 18, 2024. No submittals received after April 16 shall be considered. The contact information for the Project Engineer is:

Eric Cefalu
City of Madison – Engineering Division
210 Martin Luther King Jr Blvd, Room 115
Madison, WI, 53703

<u>ECefalu@cityofmadison.com</u>
608-243-5894

Contractors shall note that prequalification applications shall be submitted online no later than April 18, 2024. The prequalification application requires an Affirmative Action Plan be approved and on file. Contractors shall have an approved prequalification prior to bid opening. Prequalification applications and Affirmative Action Plans may be applied for online at the following address:

https://elam.cityofmadison.com/citizenaccess/default.aspx

All bids that are provided without the Contractor supplying this information as specified in these Special Provision Section 102.1 – Prequalification of Bidders shall be considered non-responsive.

SECTION 102.11: BEST VALUE CONTRACTING

This Contract shall be considered a Best Value Contract if the Contractor's bid is equal to or greater than \$75,500 for a single trade contract; or equal to or greater than \$369,500 for a multi-trade contract pursuant to MGO 33.07(7).

ARTICLE 104 SCOPE OF WORK

This contract shall include the trenchless rehabilitation of approximately 14,973 linear feet of sanitary sewer pipelines ranging in size from 8" to 15" diameter using an Ultraviolet light cure CIPP system. This contract shall also include the trenchless rehabilitation of approximately 860 linear feet of corrugated metal pipe (CMP) storm sewer pipelines with sizes of 21" diameter circular and 18"x24" elliptical using a thermal cure CIPP system.

Rehabilitation of the sanitary and storm sewers shall be without excavation by the installation of a resinimpregnated flexible tube which, when cured, shall be continuous and tight fitting throughout the entire length of the original pipe. The CIPP shall extend the full length of the original pipe and provide a structurally sound, jointless and watertight new pipe within a pipe. All service connections to buildings shall be reinstated without excavation, utilizing a remote controlled cutting device, monitored by a video TV camera. The Contractor is responsible for proper, accurate and complete installation of the CIPP using the system selected by the Contractor and approved by the Engineer.

Neither the CIPP system nor its installation shall cause adverse effects to any of the City of Madison's processes or facilities. The use of the product shall not result in the formation or production of any detrimental compounds or by-products at the wastewater treatment plant. The Contractor shall cleanup, restore existing surface conditions and structures, and repair any of the CIPP system determined to be defective. The Contractor shall conduct installation operations and schedule cleanup in a manner to cause the least possible obstruction and inconvenience to traffic, pedestrians, businesses, and property owners or tenants.

The specific pipe sections that are included in the scope of this contract are identified in the Detailed Lining List shown on the accompanying plan set.

SECTION 104.4, 104.5, 104.6 INCREASED, DECREASED, OR DELETED ITEMS

The quantities for this contract have been estimated for the purpose of bidding. No revisions in the unit price bid shall be made in the event these items are increased, decreased, or deleted.

SECTION 105.1 <u>AUTHORITY OF THE ENGINEER</u>

The Engineer shall resolve all questions which arise as to the quality and acceptability of materials furnished, work performed, manner of performance, rate of progress of the work, interpretation of the plans and Specifications, acceptable fulfillment of the contract, compensation, and disputes and mutual rights between Contractors under the Specifications. The Engineer shall determine the amount and quantity of work performed and materials furnished.

All decisions of the Engineer shall, when so requested, be rendered in writing. They shall be final and conclusive in all matters unless, within ten (10) days after such decision, the Contractor applies in writing to the Board of Public Works for a review of such decision.

Any change proposed by a Contractor in SBE subcontractors, vendors or suppliers from those SBEs indicated on the SBE Compliance Report must be approved by the Engineer and the City's Manager of the Affirmative Action Division (hereafter, AAD). When requested, such decision shall be rendered in writing. Such decisions shall be final and conclusive in all matters unless, within ten (10) days after such decision, the Contractor or the affected SBE applies in writing to the Board of Public Works for a review of such decision.

In the event the Engineer and the AAD disagree over the proper decision to be made regarding an SBE, the Mayor shall appoint a third person to resolve the disagreement, within 30 days of appointment. The decision thus rendered may be reviewed by the Board of Public Works upon request of the Contractor or the affected SBE as set forth in Sections 105.1 and 105.2 of the City's Standard Specifications.

SECTION 105.12 COOPERATION BY THE CONTRACTOR

The Contractor shall use care around existing trees, plantings, fences, walls, steps, paved trails, boardwalks, and driveways that may be encountered during the installation of the CIPP liner. Damage to these items during construction shall be repaired or replaced at the Contractor's expense.

At commercial properties where public sewer structures are located within the parking lot, the Contractor shall contact the property owners to request ingress and egress rights and for the potential closure of parking spots to perform the work. This includes the following property:

- 6200 Mineral Point Road
- 6210 Mineral Point Road
- 2614 Damon Road

If ingress and egress permissions are not granted to the Contractor, the Engineer will attempt to obtain a right-of-entry permit for the property.

At locations where sewer structures are located on private residential properties that have an accessible listed public easement, the Contractor shall access the structures using only the public right-of-way and listed public easements. At locations where public sewer structures are located on private residential properties that do not have an accessible listed public easement, the Engineer shall attempt to obtain right-of entry permits to perform the work. These properties include the following:

- 1617 Mayfield Lane
- 1621 Mayfield Lane
- 1618 Sunfield Street
- 1622 Sunfield Street
- 1626 Sunfield Street

The contractor shall contact the property owners before performing work at these locations and shall make every effort to minimize disturbance of private property. In all cases, the Contractor shall maintain access for property owners during the installation of CIPP liners. Any closure of driveways shall require notice by the Contractor at least 72 hours prior.

The Contractor shall provide the Parks Area Supervisor with 72 hour notice ahead of work commencing on any park property, including Lake View Heights Park. Area Supervisors for the parks are as follows:

Parks East Supervisor Spencer Werner 608-246-4510 swerner@cityofmadison.com

On Parks properties, all access routes and areas for equipment staging or storage shall be approved by the Parks Area Supervisor. Final restoration of turf damaged by the Contractor shall be restored with 4"

topsoil, seed and matting per the City of Madison Standard Specifications (incidental to lining bid item). Work in parks shall not be allowed and shall remove all equipment and materials on dates where special events are being held and/or as directed by the City of Madison Park Supervisors.

It is anticipated that additional public works projects could occur within the project limits at the same time as this project. These projects include the following:

- East-West Bus Rapid Transit Improvements (Contract 8716)
- Mineral Point Road Widened Sidewalk (Contract 8717)
- Sidewalk Replacement Program 2024, Ald. District 11 (Contracts 8753 and 8755)
- Sidewalk Replacement Program 2024, Ald. District 19 (Contracts 8754 and 8756)
- Sheboygan Ave & N. Segoe Rd Resurfacing w/ Utilities (Contract 8693)
- Troy Drive Railroad Bridge (Contract number currently unassigned)

The contractor shall coordinate with the contractors performing these public works projects as necessary to prevent interference or schedule delays. Information about these projects can be accessed online at the following address:

https://www.cityofmadison.com/business/pw/contracts/index.cfm

Please contact the project engineer listed under the contract above for additional questions or concerns regarding the projects.

SECTION 107.1 PUBLIC CONVENIENCE AND SAFETY

Access to businesses and commercial driveways shall be maintained at all times. The Contractor shall coordinate with parking lot property owners to maintain access and notify residents of access routes.

The Contractor shall properly barricade and light all work areas. All equipment and items incidental to the work shall not be left or stored on the sidewalk or in the sidewalk area.

The Contractor shall not work on streets abutting school property while school is in session unless approved by the Engineer. This includes work on East Badger Road in front of Badger Rock Middle School.

SECTION 107.2 PROTECTION AND RESTORATION OF PROPERTY

The Contractor shall coordinate restoration of sanitary or storm sewer easements and private property, which the property owner allows the Contractor to use, with the property owner. Standard City seed mix, topsoil, and mulch shall be used to restore all grassed areas. Any fencing or storage sheds moved by the Contractor shall be restored as directed by the property owner.

This Section applies to restoration and protection of property within easements accessed during this project. All restoration costs shall be the responsibility of the Contractor.

SECTION 107.7 MAINTENANCE OF TRAFFIC

All signing and barricading shall conform to Part VI of the Federal Highways Administrations "Manual on Uniform Traffic Control Devices" (MUTCD), the State of Wisconsin Standard Facilities Development Manual (including Chapter 16 – Standard Detail Drawings) and the City of Madison Standards for sidewalk and bikeway closures.

The Contractor shall submit an acceptable Traffic Control Plan to Tom Mohr, tmohr@cityofmadison.com, prior to the preconstruction meeting for work on any street classified as a "collector", any street with a

Metro Transit bus route, or as requested by the Engineer. The Traffic Control Plan shall include any necessary detour routes, signing and phasing schedule with the dates of lane closures. No work shall begin without an approved Traffic Control Plan.

Beginning in the summer of 2024, the City of Madison plans to begin Bus Rapid Transit (BRT) routes that run through the intersection of Sheboygan Avenue and Whitney Way and along portions of Mineral Point Road. The Contractor shall contact Madison Metro at metronotice@cityofmadison.com, at least seven days prior to commencing work in/near this intersection and shall take all precautions necessary to prevent disruptions to bus services. In addition, the Contractor shall contact Madison Metro, at least seven days prior to any bus route or bus stop changes that are necessary to complete the work. Contractor is responsible for any temporary no parking restriction postings needed to create alternative bus stop zones and any material and work needed to create a temporary bus stop.

Full road or intersection closures are typically NOT considered an acceptable form of traffic control for sewer lining/bypass work and should not be assumed as an option during bid and traffic control plan preparation. Traffic flow shall be maintained to the greatest extent feasible.

Peak-Hour Lane Closure Restrictions:

Peak-hours are defined as weekdays from 7:00 a.m. to 8:30 a.m. and from 3:30 p.m. to 6:00 p.m. Unless approved by City Traffic Engineering prior to commencing work, the Contractor shall not restrict traffic, or close any traffic lanes during peak hours on the following streets:

- Mineral Point Road
- South Segoe Road
- Island Drive
- Inner Drive
- Sheboygan Avenue
- North Whitney Way
- East Badger Road
- West Badger Road
- South Park Street
- Fish Hatchery Road
- Damon Road
- Emil Street
- Troy Drive
- Northport Drive

All equipment and materials must be removed from travel lanes and all travel lanes fully open to traffic flow. Contact Tom Mohr, Traffic Engineering Division, 608-267-8725, with any questions concerning these traffic control specifications.

Mandatory Night Work:

The Contractor shall perform lining work for sanitary mains along Fish Hatchery Road (and its connecting side streets) between the Beltline Highway Ramp and West Badger Road during night work hours (7:00PM – 7:00AM) to reduce traffic impacts to this area. Performing night work within City limits typically requires noise variance approvals from the City's Board of Public Works and Common Council. The City shall be responsible for requesting noise variance approvals for night work related to this project. However, the Contractor shall coordinate with the City at least two months in advance of proposed night work for the project to allow time for the approval process. Contact the project manager, Eric Cefalu, for night work and/or weekend work requests related to this project.

Access to residential properties shall be maintained whenever possible. Any closure of driveways shall require notice by the Contractor at least 72 hours prior.

The Contractor shall provide ADA/Handicap Accessible pedestrian access at all intersections within the construction area at all times. Sidewalks shall be maintained on at least one side of the street at all times.

The Contractor may remove parking within the project limits as necessary to facilitate construction. The Contractor shall be responsible for posting and maintaining NO PARKING signs in accordance with City of Madison Police Department's "Guidelines for Temporary No Parking Restrictions for Construction or Special Events".

The work areas shall be backfilled, plated, or protected by traffic control devices during non-working hours. If steel plates are used, the Contractor shall notify the City of Madison Streets Division, 266-4681, 24-hours prior to placement of the plates.

The Contractor shall provide bridging for wastewater hosing when the hosing is to lay on the pavement under traffic. Contractor shall provide signing in advance of bumps where there is hosing crossing the lane of traffic.

No construction equipment or materials shall be stored in the roadway or street right-of-way that is open to traffic during non-working hours. Construction equipment and materials are not to be stored within the street right-of-way that is outside the project limits as shown on the approved plan.

The Contractor shall maintain bike path operation while accessing construction site or while construction is occurring. A traffic control plan shall be submitted to the Engineer for approval a minimum ten (10) working days prior to installation of liner when accessing the construction site by use of a bike path. A flagger must be placed ahead of and behind any motorized vehicles that are present on a bike path.

SECTION 107.13 TREE PROTECTION

No equipment or materials will be allowed to be parked on, driven over, or be piled on areas within five (5) feet of a tree as measured from the outside edge of the tree trunk or visible aboveground portion of the root system in order to prevent soil compaction and damage to trunks and branches of trees through scraping or scuffing park. Construction fencing shall be provided, installed, and removed around all trees located along the access route within parks or as directed by the Engineer. Construction fencing shall be incidental to sewer main lining. Contractor shall also follow all requirements of Section 107.13 of the Standard Specifications.

SECTION 108.2 PERMITS

The contractor shall be responsible for obtaining the following permits for this project:

- Dane County Permit to Work in County Trunk Right-of-Way for work on county highways (Fish Hatchery Road County Highway D).
- WisDOT Permit DT1553 Application/Permit to Construct, Operate, and Maintain Utility Facilities on Highway Right-of-Way for work on state highways (Northport Drive State Highway 113).
- WISDOT Temporary Authorization Permit (TAP) for work that will encroach on any WISDOT railroad right-of-way (railroad crossing on Fish Hatchery Road).

The Contractor shall meet all the conditions of the permits specified in these Special Provisions, or as directed by the Construction Engineer or his designees.

SECTION 109.2 PROSECUTION OF THE WORK

The earliest the Contractor may begin work is <u>JULY 8, 2024</u>. All work under this contract shall be completed within <u>THREE HUNDRED AND SIXTY FIVE (365) CALENDER DAYS</u> of the start work letter issue date.

Work shall begin only after a start work letter is received. If it is desirable to begin work before the above-mentioned date, the Contractor shall establish a mutually acceptable date with the City Engineer, and the agreed upon date must be determined prior to the preconstruction meeting.

After execution of the contract, the Contractor shall schedule a preconstruction meeting with the Engineer.

Work on this project may start no earlier than 7:00 AM Monday through Saturday and must be completed each day no later than 7:00 PM, unless otherwise authorized by the Engineer. Any bypass pumping using onsite generators shall also not extend beyond these hours unless approved in advance by the City Engineer.

ARTICLE 509 CURED-IN-PLACE PIPE (CIPP) REHABILITATION OF SEWERS

Perform all work in accordance with these provisions and the City of Madison Standard Specifications (Standard Specifications) Latest Edition. View sites prior to bidding and become familiar with existing conditions.

BID ITEM 50909 - REINSTATE AND RECONNECT SERVICE OPENINGS

Reinstatement of outside drops shall also be paid for under this bid item. Outside drops shall be reinstated with robotic cutter and monitored by a closed circuit television camera. Reinstatement and reconnection of both sanitary service laterals and outside drops shall conform to the requirements set forth in the City of Madison Standard Specifications.

Method of measurement and basis of payment will be identical to what is described in the City of Madison Standard Specifications under this bid item.

SECTION 509.3 SUBMITTALS

The Contractor shall not install materials or equipment, which requires submittals, until reviewed by the Engineer. The Engineer's review will be completed as quickly as possible, but may require up to ten (10) working days from the date the submittals are received until they are sent to the Contractor.

The Contractor shall submit the following materials to the Engineer:

509.3(a) Product Data

- 1. Manufacturer's product literature and application, installation and recommended repair (patching) requirements for materials used in liner.
- 2. Manufacturer's product certification of conformance to ASTM Standards for materials used in liner.
- 3. Example Manufacturer's Wet Out Report and the Manufacturer's recommended curing procedure to be submitted with initial product data submittals, as well as actual Manufacturer's Wet Out Report including raw resin data for each liner to be installed and the Manufacturer's recommended curing procedure, temperature and pressure.

- 4. Two (2) copies of Liner Pipe Thickness Design Calculations. The design calculations shall be in accordance with Appendix X.I of ASTM F 1216. The liner thickness calculations shall assume the physical properties stated in Section 509.5(d) of the City of Madison Standard Specifications.
- 5. Test results from previous field installations of the same resin system and tube materials as proposed for the actual installation.
- 6. The proposed CIPP flow capacity calculations.
- 7. Manufacturer's product literature, application and installation method used to seal ends of liner.
- 8. Manufacturer's product literature, application and installation method used for lateral repair.

No liner will be approved for installation until the City has returned one (1) set of approved design calculations to the Contractor.

Compensation for all work required for the submittal of product data shall be considered incidental to the project.

509.3(b) Digital Video

- 1. Submit digital video of cleaned pipes in pre-lining condition. The video shall be submitted prior to proceeding with liner insertion.
- 2. Submit digital video of pipes in post-lining condition showing reinstated service connections.

509.3(c) Sewage Bypassing Plan

Submit proposed plan for bypassing sanitary sewage during liner installation. Plan shall be to scale and shall show location of existing City sewer access structures.

509.3(d) Traffic Control Plan

Submit proposed Traffic Control plan in accordance to Article 107.7 of these Special Provisions.

509.3(e) Public Notifications / Door Hangers

The Contractor shall prepare and submit written notice describing the work to be performed for the Engineer to review. Upon acceptance by the Engineer, the notice shall be delivered to each home or business between a minimum of seven (7) days and a maximum of two (2) months prior to the beginning of work being conducted on the pipe section. Door hangers shall also be placed at effected properties between no later than 24 hours and no earlier than 72 hours prior to the sewer service interruption. All notices shall also contain a local (or toll free) telephone number of the Contractor that property owners can use to discuss the project or any problems that arise during installation of the liner. Contractor shall also arrange meetings with any occupants whose service cannot be reinstated within the time referenced in the written notice. Any related costs such as hotel expenses or residential bypass pumping are the responsibility of the Contractor.

The City can provide the Contractor with names and addresses of effected property owners and tenants within the project limits upon request.

SECTION 509.5 (b) TUBE MATERIALS

For Ultraviolet Light Cure CIPP systems, the tube material shall be made of non-corrosion material and shall be free from tears, holes, cuts, foreign materials and other surface defects. The fiberglass tube shall

be constructed to withstand installation pressures as required by the Manufacturer's recommendations. The interior and exterior foil shall be styrene resistant along with the ability to protect and contain the resin within the liner, with the exterior foil being impermeable to light. The liner should be seamless in its cured state to ensure homogenous physical properties around the circumference of the cured liner. The nominal fiberglass tube wall thickness shall be constructed to the nearest 0.5 mm increment, rounded up from the design thickness for that section of installed CIPP. The fiberglass tube shall be manufactured to a size that when installed will tightly fit the internal circumference and the length of the original conduit. The tube shall be able to stretch to fit irregular pipe sections and negotiate bends.

For Thermal Cure CIPP systems, the tube material shall meet the requirements of ASTM F 1216 and ASTM D5813, or better. The tube shall consist of one or more layers of flexible needled felt or an equivalent nonwoven or woven material, or a combination of nonwoven and woven materials, capable of carrying resin, withstanding installation pressures and curing temperatures. The tube shall be compatible with the resin system used. The material shall be able to stretch to fit irregular pipe sections and negotiate bends. The outside layer of the tube shall be plastic coated with a material that is compatible with the resin system used. The tube shall be fabricated to a size that, when installed, will tightly fit the internal circumference and the length of the original conduit. Allowance shall be made for circumferential stretching during inversion. Seams in the tube shall be stronger than the non-seamed material.

For any tube installed, the wall color of the interior pipe surface of CIPP after installation shall be a light reflective color so that a clear detailed examination with closed circuit television inspection equipment may be made.

SECTION 509.5 (c) RESIN MATERIALS

For Ultraviolet Light Cure CIPP Systems, the resin used to impregnate the seamless fiberglass tube shall produce a cured liner pipe resistant to shrinkage, corrosion, and abrasion and shall have a proven resistance to municipal wastewater. The resin shall be a chemically resistant isophthalic based polyester thermoset resin and catalyst system, or epoxy resin and hardener that are compatible with the installation process. The resin should be able to cure with ultraviolet light. When properly cured the resin/liner system shall meet the structural and chemical resistance requirements of ASTM F 2019.

For Thermal Cure CIPP Systems, the resin system shall meet the structural and chemical resistance requirements of ASTM F 1216 and/or ASTM F 1743, or better. A general purpose, unsaturated, styrene-based, thermoset resin and catalyst system or an epoxy resin and hardener that is compatible with the inversion process shall be used. The resin must be able to cure in the presence of water and the initiation temperature for cure shall be less than 180°F (82.2°C).

SECTION 509.6 (c) INSTALLATION

Ultraviolet Light Cure CIPP systems shall be installed in accordance with the manufacturer's specifications and applicable ASTM F 2019 standards. Thermal Cure CIPP systems shall be installed in accordance with ASTM F 1216.

1. Resin Impregnation

A certified Wet Out Report shall be completed, signed, and submitted for each liner delivered to the site. The Wet Out Report shall include, but is not limited to, wet-out date, resin identification, resin weight, resin admixtures, fabric tube length, diameter, and thickness.

For Ultraviolet Light Cure CIPP systems, the (wet-out) fiberglass tube shall meet ASTM F 2019 as applicable, and shall have a uniform thickness and excess resin distribution that when compressed at installation pressures will meet or exceed the design thickness after cure.

For Thermal Cure CIPP systems, the tube shall be vacuum-impregnated with resin (wet-out) under controlled conditions. The volume of resin used shall be sufficient to fill all voids in the tube material at nominal thickness and diameter. The volume shall be adjusted by adding 5% to 10% excess resin

volume compared to the volume of the felt to compensate for the change in resin volume due to polymerization and to allow for any migration of resin into the cracks and joints in the original pipe.

2. Tube Insertion

The wet-out tube shall be positioned in the pipeline using either inversion (ASTM F 1216) or a pull-in method (ASTM F 1743), The tube shall be pulled-in or inverted through an existing manhole or approved access point and fully extend to the next designated manhole or termination point. Ultraviolet Light Cure CIPP systems must use a pull-in method (ASTM F 1743).

3. Curing

For Ultraviolet Light Cure CIPP systems, curing shall be accomplished by utilizing air pressure and ultraviolet light in accordance with ASTM F 2019 and the manufacturer's recommended cure schedule.

Using Ultraviolet Light

After insertion is complete, the fiberglass liner shall be cured with ultraviolet light sourced at a constant inner pressure. The ultraviolet light sourced shall be assembled according to the Manufacturer's specifications for the liner. The defined parameters for curing speed, inner air pressure, exothermic temperatures, and wattage are to be controlled, measured, and documented during the entire curing process to be submitted to the Engineer with the post CCTV inspection. The inner film material should be removed and discarded after curing to provide optimal quality of the final product.

For Thermal Cure CIPP systems, curing shall be accomplished by utilizing steam or circulating heated water under hydrostatic pressure in accordance with ASTM F 1216 and the manufacturer's recommended cure schedule.

Using Steam

Steam curing systems shall include an elevated steam discharge. The City of Madison Inspector shall monitor and record styrene levels for each liner curing. At the direction of the Inspector, any steam condensate or styrene residue shall be cleaned and disposed at the Contractor's expense.

Using Circulating Heated Water

The heat source shall be fitted with suitable monitors to gage the temperature of the incoming and outgoing water supply. Another such gage shall be placed between the impregnated tube and the pipe invert at the termination to determine the temperature during cure.

4. Sealing Liner at Sewer Access Structures

Seals shall be made with LMK Technologies End Seal Sleeve, or an Engineer approved equivalent.

5. Reinstatement of Service Connections

The Contractor shall be responsible for confirming the locations of all service connections prior to installing and curing the CIPP. Unless otherwise directed by the Project Engineer, all service connections shall be reinstated.

The Contractor shall certify a minimum of two (2) complete working cutters plus spare key components are present on the site before each inversion. The operator of the remote controlled cutting device shall have at least 2 years of experience with such equipment.

No additional payment will be made for excavations for the purpose of reopening connections and the Contractor will be responsible for all costs and liability associated with such excavation and restoration work.

The Contractor shall fully reinstate all existing active service connections in each length of sewer, following lining. The service connections shall be reopened from inside the sewer by means of a closed-circuit television camera controlled cutting device appropriate for use on CIPP liners. All openings shall be clean and neatly cut and the bottom of the opening shall be flush with the lateral pipe. The opening shall be buffed with a wire brush to remove rough edges and provide a smooth finish. Service connections shall be reestablished to a minimum of 95% of the flow capacity.

Any service connection opened to greater than 100% of its original diameter shall have a "T-Liner" system installed at the Contractor's Expense. The liner materials shall meet or exceed ASTM F2561 specifications and meet or exceed the lateral repair standards noted in 509.7(a).

SECTION 509.7 INSPECTION AND TESTING

SECTION 509.7(a) CIPP SAMPLES

The Contractor shall furnish all samples for product testing to the Engineer. The Engineer shall take possession of the samples for testing and shall maintain the chain of custody, deliver the samples to an approved laboratory and pay for all material and product testing performed under this contract.

The samples shall be prepared and physical properties tested in accordance with ASTM F 2019. The flexural properties must meet or exceed the values listed in Table 1, Section 509.5(d).

For each inversion length, the preparation of one CIPP sample is required. The sample will be obtained using one of the following methods:

- 1. The sample shall be cut from a section of cured CIPP at an intermediate manhole or at the termination point that has been inverted through a like diameter pipe which has been restrained to conform to the host pipe by a suitable heat sink, such as sandbags.
- 2. The sample shall be fabricated from material taken from the tube and the resin/catalyst system used and cured in a clamped mold.

Each sample shall be large enough to provide five specimens for flexural testing and tensile testing.

CCTV Inspection and Acceptance - The Contractor shall perform a detailed closed-circuit television inspection in accordance with NAASCO's Pipeline Assessment and Certification Program (PACP) standards, after installation of the CIPP liner and reconnection of the service connections. The finished liner shall be continuous over the entire length of the installation and shall be free of significant visual defects, damage, deflection, holes, leaks and other defects. Unedited digital documentation of the inspection shall be provided to the City within ten (10) working days of the liner installation. The data shall note the inspection date, location of all reconnected service connections, debris, as well as any other defects in the liner, including, but not limited to, gouges, cracks, bumps, or bulges. If post installation inspection documentation is not submitted within ten (10) working days of the liner installation, the City may at its discretion suspend any further installation of CIPP until the post installation documentation is submitted. As a result of this suspension, no additional working days will be added to the contract, nor will any adjustment be made for increase in cost. Immediately prior to conducting the closed circuit television inspection, the Contractor shall thoroughly clean the newly installed liner removing all debris and buildup that may have accumulated.

The installation shall be inspected by closed-circuit television. No infiltration of groundwater shall be observed. All live service entrances shall be accounted for and be unobstructed. CCTV inspection of the CIPP liner shall be in accordance with ASTM F 1216 and Section 509.6(b).

The Contractor shall take a still image of the watertight seal between the host pipe and liner at the connection to the sewer access structure.

If the Engineer's review of the final CCTV submittal identifies repairable defects, the Contractor may be requested to submit a manufacturer reviewed/approved repair plan rather than reinstalling the entire defective CIPP. The Engineer must be provided a 24 hour notice to approve method prior to work commencing on defect repair and enable inspection of method and result of repair. Any such repairs shall include an extended warranty by the Contractor for one (1) additional year from the expiration of the Contract warranty.

The following repair methods for common defects are considered acceptable:

- Defect: Wrinkles/ridges exceeding 5% of pipe diameter outside of 120-degree invert arc OR – wrinkles/ridges exceeding 2% of pipe diameter inside of the 120-degree invert arc centered at the bottom of the pipe.
 - o Repair: Point repairs under manufacturer's approved recommendations.
 - Rejection Criteria: The Engineer may reject the work if wrinkles or ridges exceed 10% of pipe diameter.
- Defect: Holes, tears, soft spots, lifts, delamination, blisters/bubbles.
 - o Repair: Point repairs under manufacturer's approved recommendations.
 - o Rejection Criteria: If defective areas cover greater than 5% of the surface area the Engineer reserves the right to reject the work.
- Defect: CIPP thickness less than calculated minimum thickness.
 - Repair: If the Engineer determines that the CIPP is acceptable, payment may be reduced by the percentage below the design minimum thickness. In some cases, a second CIPP within the first may be allowed.
 - Rejection Criteria: If the actual thickness is less than 87.5% of the design minimum thickness, the Engineer reserves the right to reject the work.
- Defect: Service reinstated to greater than 100% of original flow capacity.
 - Repair: System must be installed at the Contractor's expense. The liner shall be LMK Technologies – Shorty T-Liner, or approved equal. The liner must extend at least 6 inches beyond both sides of a lateral opening and extend at least 36 inches into the lateral. A manufacturer approved adhesive shall be used to ensure a tight bond against the CIPP liner.
 - Rejection Criteria: The Engineer reserves the right to reject any improperly installed Shorty-T Liner repairs.

Additional defects may be identified, and will be handled on a case-by-case basis. Other repair methods may be used, in place of the stated acceptable repair methods if approved by the manufacturer and by the Engineer.

Instructions to Bidders:

The videos of the sanitary sewers that are planned to be lined with this project are available online at the City's file transfer portal website. This information has been made available to you for bidding purposes. In order to access the videos online, enter the following web address to your Microsoft Internet Explorer address bar:

https://sftp.cityofmadison.com:443/ui/#/syncplify/share?N=2NEXDcJaZYqiyxE3m88LGW

Copy the video files onto your hard drive, and the videos are yours to watch for bidding. If you have problems, the videos and pdfs will be available on DVDs, CDs, or portable flash drives upon request.

BID ITEM 90001 - FURNISH AND INSTALL CIPP TO REHABILITATE 21-INCH DIAMETER STORM SEWER MAINS

Work under this item shall include furnishing and installing 196' of cured-in-place-pipe within an existing 21" diameter corrugated metal pipe storm sewer main located between Mayfield Lane and Sunfield Street using thermal lining methods. All equipment, tools, labor, materials and procedures shall conform to the requirements set forth in these Special Provisions and the City of Madison Standard Specifications.

Method of measurement and basis of payment will conform to 'Bid Item 50907- Furnish and Install CIPP to rehabilitate 21-Inch Diameter Sanitary Sewer Mains' in the City of Madison Standard Specifications.

BID ITEM 90002 - FURNISH AND INSTALL CIPP TO REHABILITATE 18X24-INCH ELIPTICAL STORM SEWER MAINS

Work under this item shall include furnishing and installing 664' of cured-in-place-pipe within five existing 18x24" elliptical corrugated metal pipe storm sewer mains located between Mayfield Lane and Sunfield Street and within Lake View Heights Park using thermal lining methods. All equipment, tools, labor, materials and procedures shall conform to the requirements set forth in these Special Provisions and the City of Madison Standard Specifications.

Method of measurement and basis of payment will conform to 'Bid Item 50907- Furnish and Install CIPP to rehabilitate 21-Inch Diameter Sanitary Sewer Mains' in the City of Madison Standard Specifications.

SECTION E: BIDDERS ACKNOWLEDGEMENT

CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024 CONTRACT NO. 9487

Bidder must state a Unit Price and Total Bid for each item. The Total Bid for each item must be the product of quantity, by Unit Price. The Grand Total must be the sum of the Total Bids for the various items. In case of multiplication errors or addition errors, the Grand Total with corrected multiplication and/or addition shall determine the Grand Total bid for each contract. The Unit Price and Total Bid must be entered numerically in the spaces provided. All words and numbers shall be written in ink.

1.	The undersigned having familiarized himself/herself with the Contract documents, including Advertisement for Bids, Instructions to Bidders, Form of Proposal, City of Madison Standard Specifications for Public Works Construction - 2024 Edition thereto, Form of Agreement, Form of Bond, and Addenda issued and attached to the plans and specifications on file in the office of the City Engineer, hereby proposes to provide and furnish all the labor, materials, tools, and expendable equipment necessary to perform and complete in a workmanlike manner the specified construction on this project for the City of Madison; all in accordance with the plans and specifications as prepared by the City Engineer, including Addenda Nos through to the Contract, at the prices for said work as contained in this proposal. (Electronic bids
2.	submittals shall acknowledge addendum under Section E and shall not acknowledge here) If awarded the Contract, we will initiate action within seven (7) days after notification or in accordance with the date specified in the contract to begin work and will proceed with diligence to bring the project to full completion within the number of work days allowed in the Contract or by
3.	the calendar date stated in the Contract. The undersigned Bidder or Contractor certifies that he/she is not a party to any contract, combination in form of trust or otherwise, or conspiracy in restraint of trade or commerce or any other violation of the anti-trust laws of the State of Wisconsin or of the United States, with respect to this bid or contract or otherwise.
4.	I hereby certify that I have met the Bid Bond Requirements as specified in Section 102.5. (IF BID BOND IS USED, IT SHALL BE SUBMITTED ON THE FORMS PROVIDED BY THE CITY. FAILURE TO DO SO MAY RESULT IN REJECTION OF THE BID).
5.	I hereby certify that all statements herein are made on behalf of (name of corporation, partnership, or person submitting bid) a corporation organized and existing under the laws of the State of
SIGNA	
TITLE,	IF ANY
Sworn	and subscribed to before me this day of
	ry Public or other officer authorized to administer oaths)

Rev. 4/5/2024-9497 Contract doc. E-1

Bidders shall not add any conditions or qualifying statements to this Proposal.

SECTION F: BEST VALUE CONTRACTING

CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024 CONTRACT NO. 9487

Best Value Contracting

active	son General Ordinance (M.G.O.), 33.07(7), does provide for some exemptions from the apprentice requirement. Apprenticeable trades are those trades considered apprenticeable e State of Wisconsin. Please check applicable box if you are seeking an exemption.
	Contractor has a total skilled workforce of four or less individuals in all apprenticeable trades combined.
	No available trade training program; The Contractor has been rejected by the only available trade training program, or there is no trade training program within 90 miles.
	Contractor is not using an apprentice due to having a journey worker on layoff status provided the journey worker was employed by the contractor in the past six months.
	First-time Contractor on City of Madison Public Works contract requests a onetime exemption but intends to comply on all future contracts and is taking steps typical of a "good faith" effort.
	Contractor has been in business less than one year.
	Contractor doesn't have enough journeyman trade workers to qualify for a trade training program in that respective trade.
	An exemption is granted in accordance with a time period of a "Documented Depression' as defined by the State of Wisconsin.
on th 33.07 appre agen	Contractor shall indicate on the following section which apprenticeable trades are to be used is contract. Compliance with active apprenticeship, to the extent required by M.G.O. (7), shall be satisfied by documentation from an applicable trade training body; are enticeship contract with the Wisconsin Department of Workforce Development or a similar cy in another state; or the U.S Department of Labor. This documentation is required prior to contractor beginning work on the project site.
	The Contractor has reviewed the list and shall not use any apprenticeable trades on this project.

LIST	APPRENTICABLE TRADES (check all that apply to your work to be performed on this contract)
	BRICKLAYER
	CARPENTER
	CEMENT MASON / CONCRETE FINISHER
	CEMENT MASON (HEAVY HIGHWAY)
	CONSTRUCTION CRAFT LABORER
	DATA COMMUNICATION INSTALLER
	ELECTRICIAN
	ENVIRONMENTAL SYSTEMS TECHNICIAN / HVAC SERVICE TECH/HVAC INSTALL / SERVICE
	GLAZIER
	HEAVY EQUIPMENT OPERATOR / OPERATING ENGINEER
	INSULATION WORKER (HEAT & FROST)
_	IRON WORKER
	IRON WORKER (ASSEMBLER, METAL BLDGS)
	PAINTER & DECORATOR
	PLASTERER
	PLUMBER
_	RESIDENTIAL ELECTRICIAN
	ROOFER & WATER PROOFER
	SHEET METAL WORKER
	SPRINKLER FITTER
	STEAMFITTER
	STEAMFITTER (REFRIGERATION)
	STEAMFITTER (SERVICE)
	TAPER & FINISHER
	TELECOMMUNICATIONS (VOICE, DATA & VIDEO) INSTALLER-TECHNICIAN
	TILE SETTER

SECTION G: BID BOND

LET ALL KNOW BY THESE DOCUMENTS PRESENTED, THAT Principal and Surety, as identified below, are held and firmly bound unto the City of Madison, (hereinafter referred to as the "Obligee"), in the sum of five per cent (5%) of the amount of the total bid or bids of the Principal herein accepted by the Obligee, for the payment of which the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

The conditions of this obligation are such that, whereas the Principal has submitted, to the City of Madison a certain bid, including the related alternate, and substitute bids attached hereto and hereby made a part hereof, to enter into a contract in writing for the construction of:

CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024 CONTRACT NO. 9487

- 1. If said bid is rejected by the Obligee, then this obligation shall be void.
- 2. If said bid is accepted by the Obligee and the Principal shall execute and deliver a contract in the form specified by the Obligee (properly completed in accordance with said bid) and shall furnish a bond for his/her faithful performance of said contract, and for the payment of all persons performing labor or furnishing materials in connection therewith, and shall in all other respects perform the agreement created by the acceptance of said bid, then this obligation shall be void.

If said bid is accepted by the Obligee and the Principal shall fail to execute and deliver the contract and the performance and payment bond noted in 2. above executed by this Surety, or other Surety approved by the City of Madison, all within the time specified or any extension thereof, the Principal and Surety agree jointly and severally to forfeit to the Obligee as liquidated damages the sum mentioned above, it being understood that the liability of the Surety for any and all claims hereunder shall in no event exceed the sum of this obligation as stated, and it is further understood that the Principal and Surety reserve the right to recover from the Obligee that portion of the forfeited sum which exceed the actual liquidated damages incurred by the Obligee.

The Surety, for value received, hereby stipulates and agrees that the obligations of said Surety and its bond shall be in no way impaired or affected by an extension of the time within which the Obligee may accept such bid, and said Surety does hereby waive notice of any such extension.

IN WITNESS WHEREOF, the Principal and the Surety have hereunto set their hands and seals, and such of them as are corporations have caused their corporate seals to be hereto affixed and these presents to be signed by their proper officers, on the day and year set forth below.

Seal	PRINCIPAL		
	Name of Principal		_
	Ву		Date
	Name and Title		-
Seal	SURETY		
	Name of Surety		-
	Ву		Date
	Name and Title		-
Nationa authorit	ıl Provider No	for the year,	above company in Wisconsin under and appointed as attorney in fact with e bond referred to above, which power
Date		Agent Signature	
		Address	
		City, State and Zip Code	
		Telephone Number	

NOTE TO SURETY & PRINCIPAL

The bid submitted which this bond guarantees shall be rejected if the following instrument is not attached to this bond:

Power of Attorney showing that the agent of Surety is currently authorized to execute bonds on behalf of the Surety, and in the amounts referenced above.

Certificate of Biennial Bid Bond

TIME PERIOD - VALID (FROM/TO)				
NAME OF SURETY				
NAME OF CONTRACTOR				
CERTIFICATE HOLDER				
City of Madison, Wisconsin				
This is to certify that a biennial bid bond issued by the above-named Surety is currently on file with the City of Madison.				
This certificate is issued as a matter of information and conveys no rights upon the certificate holder and does not amend, extend or alter the coverage of the biennial bid bond.				
Cancellation: Should the above policy be cancelled before the expiration date, the issuing Surety will give thirty (30) days written notice to the certificate holder indicated above.				
Signature of Authorized Contractor Representative				
Date				
Dato				

SECTION H: AGREEMENT

THIS AGREEMENT made this _____ day of _____ in the year Two Thousand and _____ between ____ hereinafter called the Contractor, and the

City of Madison, a Wisconsin municipal corporation, hereinafter called the City.

	EAS, the Common Council of the City of Madison ("Council") under the provisions of a resolution d on, and by virtue of authority vested in the Council, has awarded to intractor the work of performing certain public construction.
NOW, follows:	THEREFORE, the Contractor and the City, for the consideration hereinafter named, agree as
1.	Scope of Work. The Contractor shall, perform the construction, execution and completion of the following listed complete work or improvement in full compliance with the Plans, Specifications, Standard Specifications, Supplemental Specifications, Special Provisions and Agreement; perform all items of work covered or stipulated in the Proposal; perform all altered or extra work; and shall furnish, unless otherwise provided in the contract, all materials, implements, machinery, equipment, tools, supplies, transportation, and labor necessary to the prosecution and completion of the work or improvements:
	CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024 CONTRACT NO. 9487
2.	Completion Date/Contract Time. Construction work must begin within seven (7) calendar days after the date appearing on mailed written notice to do so shall have been sent to the Contractor and shall be carried on at a rate so as to secure full completion <u>SEE SPECIAL PROVISIONS</u> , the rate of progress and the time of completion being essential conditions of this Agreement.
3.	Contract Price. The City shall pay to the Contractor at the times, in the manner and on the conditions set forth in said specifications, the sum of(\$) Dollars being the amount bid by such Contractor and which was awarded as provided by law.
4.	A. Non-Discrimination. During the term of this Agreement, the Contractor agrees not to discriminate against any employee or applicant because of race, religion, marital status, age, color, sex, disability, national origin or ancestry, income level or source of income, arrest record or conviction record, less than honorable discharge, physical appearance, sexual orientation, gender identity, political beliefs, or student status. The Contractor further agrees not to discriminate against any subcontractor or person who offers to subcontract on this contract because of race, religion, color, age, disability, sex, sexual orientation, gender identity or national origin.
	B. Affirmative Action. The Contractor agrees that within thirty (30) days after the effective date of this agreement, the Contractor will provide to the City Affirmative Action Division certain workforce utilization statistics, using a form to be furnished by the City.

The notice will include a job description, classification, qualifications and application procedures and deadlines, shall be provided to the City by the opening date of advertisement and with

If the contract is still in effect, or if the City enters into a new agreement with the Contractor, within one year after the date on which the form was required to be provided, the Contractor will provide updated workforce information using a second form, also to be furnished by the City. The second form will be submitted to the City Affirmative Action Division no later than one year after the date

The Contractor further agrees that, for at least twelve (12) months after the effective date of this contract, it will notify the City Affirmative Action Division of each of its job openings at facilities in Dane County for which applicants not already employees of the Contractor are to be considered.

on which the first form was required to be provided.

sufficient time for the City to notify candidates and make a timely referral. The Contractor agrees to interview and consider candidates referred by the Affirmative Action Division, or an organization designated by the Division, if the candidate meets the minimum qualification standards established by the Contractor, and if the referral is timely. A referral is timely if it is received by the Contractor on or before the date started in the notice.

Articles of Agreement Article I

The Contractor shall take affirmative action in accordance with the provisions of this contract to insure that applicants are employed, and that employees are treated during employment without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national original and that the employer shall provide harassment free work environment for the realization of the potential of each employee. Such action shall include, but not be limited to, the following: employment, upgrading, demotion or transfer, recruitment or recruitment advertising, layoff or termination, rates of pay or other forms of compensation and selection for training including apprenticeship insofar as it is within the control of the Contractor. The Contractor agrees to post in conspicuous places available to employees and applicants notices to be provided by the City setting out the provisions of the nondiscrimination clauses in this contract.

Article II

The Contractor shall in all solicitations or advertisements for employees placed by or on behalf of the Contractors state that all qualified or qualifiable applicants will be employed without regard to race, religion, color, age, marital status, disability, sex, sexual orientation, gender identity or national origin.

Article III

The Contractor shall send to each labor union or representative of workers with which it has a collective bargaining agreement or other contract or understanding a notice to be provided by the City advising the labor union or worker's representative of the Contractor's equal employment opportunity and affirmative action commitments. Such notices shall be posted in conspicuous places available to employees and applicants for employment.

Article V

The Contractor agrees that it will comply with all provisions of the Affirmative Action Ordinance of the City of Madison, including the contract compliance requirements. The Contractor agrees to submit the model affirmative action plan for public works contractors in a form approved by the Affirmative Action Division Manager.

Article VI

The Contractor will maintain records as required by Section 39.02(9)(f) of the Madison General Ordinances and will provide the City Affirmative Action Division with access to such records and to persons who have relevant and necessary information, as provided in Section 39.02(9)(f). The City agrees to keep all such records confidential, except to the extent that public inspection is required by law.

Article VII

In the event of the Contractor's or subcontractor's failure to comply with the Equal Employment Opportunity and Affirmative Action Provisions of this contract or Section 39.03 and 39.02 of the Madison General Ordinances, it is agreed that the City at its option may do any or all of the following:

- 1. Cancel, terminate or suspend this Contract in whole or in part.
- 2. Declare the Contractor ineligible for further City contracts until the Affirmative Action requirements are met.
- 3. Recover on behalf of the City from the prime Contractor 0.5 percent of the contract award price for each week that such party fails or refuses to comply, in the nature of liquidated damages, but not to exceed a total of five percent (5%) of the contract price, or ten thousand dollars (\$10,000), whichever is less. Under public works contracts, if a subcontractor is in noncompliance, the City may recover liquidated damages from the prime Contractor in the manner described above. The preceding sentence shall not be construed to prohibit a prime Contractor from recovering the amount of such damage from the non-complying subcontractor.

Article VIII

The Contractor shall include the above provisions of this contract in every subcontract so that such provisions will be binding upon each subcontractor. The Contractor shall take such action with respect to any subcontractor as necessary to enforce such provisions, including sanctions provided for noncompliance.

Article IX

The Contractor shall allow the maximum feasible opportunity to small business enterprises to compete for any subcontracts entered into pursuant to this contract. (In federally funded contracts the terms "DBE, MBE and WBE" shall be substituted for the term "small business" in this Article.)

- 5. **Substance Abuse Prevention Program Required.** Prior to commencing work on the Contract, the Contractor, and any Subcontractor, shall have in place a written program for the prevention of substance abuse among its employees as required under Wis. Stat. Sec. 103.503.
- 6. **Contractor Hiring Practices.**

Ban the Box - Arrest and Criminal Background Checks. (Sec. 39.08, MGO)

This provision applies to all prime contractors on contracts entered into on or after January 1, 2016, and all subcontractors who are required to meet prequalification requirements under MGO 33.07(7)(I), MGO as of the first time they seek or renew pre-qualification status on or after January 1, 2016. The City will monitor compliance of subcontractors through the pre-qualification process.

- a. Definitions. For purposes of this section, "Arrest and Conviction Record" includes, but is not limited to, information indicating that a person has been questioned, apprehended, taken into custody or detention, held for investigation, arrested, charged with, indicted or tried for any felony, misdemeanor or other offense pursuant to any law enforcement or military authority.
 - "Conviction record" includes, but is not limited to, information indicating that a person has been convicted of a felony, misdemeanor or other offense, placed on probation, fined, imprisoned or paroled pursuant to any law enforcement or military authority.
 - "Background Check" means the process of checking an applicant's arrest and conviction record, through any means.
- **b. Requirements.** For the duration of this Contract, the Contractor shall:

- 1. Remove from all job application forms any questions, check boxes, or other inquiries regarding an applicant's arrest and conviction record, as defined herein.
- 2. Refrain from asking an applicant in any manner about their arrest or conviction record until after conditional offer of employment is made to the applicant in question.
- Refrain from conducting a formal or informal background check or making any
 other inquiry using any privately or publicly available means of obtaining the
 arrest or conviction record of an applicant until after a conditional offer of
 employment is made to the applicant in question.
- 4. Make information about this ordinance available to applicants and existing employees, and post notices in prominent locations at the workplace with information about the ordinance and complaint procedure using language provided by the City.
- 5. Comply with all other provisions of Sec. 39.08, MGO.
- **c. Exemptions:** This section shall not apply when:
 - 1. Hiring for a position where certain convictions or violations are a bar to employment in that position under applicable law, or
 - 2. Hiring a position for which information about criminal or arrest record, or a background check is required by law to be performed at a time or in a manner that would otherwise be prohibited by this ordinance, including a licensed trade or profession where the licensing authority explicitly authorizes or requires the inquiry in question.

To be exempt, Contractor has the burden of demonstrating that there is an applicable law or regulation that requires the hiring practice in question, if so, the contractor is exempt from all of the requirements of this ordinance for the position(s) in question.

- 7. Choice of Law and Forum Selection. This Contract shall be governed by and construed, interpreted and enforced in accordance with the laws of the State of Wisconsin. The parties agree, for any claim or suit or other dispute relating to this Contract that cannot be mutually resolved, the venue shall be a court of competent jurisdiction within the State of Wisconsin and the parties agree to submit themselves to the jurisdiction of said court, to the exclusion of any other judicial district that may have jurisdiction over such a dispute according to any law.
- 8. Counterparts, Electronic Signature and Delivery. This Contract may be signed in counterparts, each of which shall be taken together as a whole to comprise a single document. Signatures on this Contract may be exchanged between the parties by facsimile, electronic scanned copy (.pdf) or similar technology and shall be as valid as original; and this Contract may be converted into electronic format and signed or given effect with one or more electronic signature(s) if the electronic signature(s) meets all requirements of Wis. Stat. ch. 137 or other applicable Wisconsin or Federal law. Executed copies or counterparts of this Contract may be delivered by facsimile or email and upon receipt will be deemed original and binding upon the parties hereto, whether or not a hard copy is also delivered. Copies of this Contract, fully executed, shall be as valid as an original.

IN WITNESS WHEREOF, the Contractor has hereunto set his/her hand and seal and the City has caused this contract to be executed by its Mayor and City Clerk on the dates written below.

Countersigned:		Company Name	
Witness	Date	President	Date
Witness	Date	Secretary	Date

CITY OF MADISON

Satya Rhodes-Conway, Mayor	Date
Maribeth Witzel-Behl, City Clerk	Date
Provisions have been made to pay the liability that will accrue under this contract	
Desid B. Ochovic Figure Bireston	Dit
David P. Schmiedicke, Finance Director	Date
Approved as to form:	
- Mile - 111 - Oir - Mile - Oir -	
Michael Haas, City Attorney	Date
Execution of this Agreement by City was authorized by Resolution Enactment	No. RES, ID
No. adopted by the Common Council of the City of Madison on	. 20 .

SECTION I: PAYMENT AND PERFORMANCE BOND

LET ALL KNOW BY THESE DOCUMENTS PRESENT as principal, and	ED, that we			
as principal, and	of Madison, we nereby bind ourselves and our			
The condition of this Bond is such that if the above perform all of the terms of the Contract entered into be construction of:				
CIPP UV LINING REHABILITATION OF SEWERS PHASE 1 - 2024 CONTRACT NO. 9487				
in Madison, Wisconsin, and shall pay all claims for prosecution of said work, and save the City harmless from the prosecution of said work, and shall save harmle (under Chapter 102, Wisconsin Statutes) of employees to be void, otherwise of full force, virtue and effect.	from all claims for damages because of negligence ess the said City from all claims for compensation			
Signed and sealed thisday of	:			
Countersigned:				
	Company Name (Principal)			
Witness	President Seal			
Secretary				
	Surety Seal Salary Employee Commission			
	ByAttorney-in-Fact			
	•			
This certifies that I have been duly licensed as an agent for the above company in Wisconsin under National Producer Number for the year, and appointed as attorney-in-fact with authority to execute this payment and performance bond which power of attorney has not been revoked.				
Date	Agent Signature			

I-1

The foregoing Bond has been approved as to form:					
Deta	City Attampay				
Date	City Attorney				