



Legend

☩ Denotes Boring Location



Notes

1. Soil borings performed by America's Drilling Co. in September 2022
2. Boring locations are approximate

Scale: Reduced

Date: 10/2022	
Job No. C22051-19	

**Soil Boring Location Map
Beverly Rd Area
Madison, WI**



LOG OF TEST BORING

Project Beverly Road Area
Beverly: 250'W of Danbury, 6'S of Centerline
 Location Madison, Wisconsin

Boring No. 1
 Surface Elevation (ft) 1009±
 Job No. C22051-19
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		qu (qa) (tsf)	w	LL	PL	LOI
				0	5.5 in. Asphalt Pavement/7 in. Base Course					
1	10	M	4	4	Stiff, Dark Brown Lean CLAY (CL - Possible Fill)	(1.25)				
				5						
2	12	M	9	9	Very Stiff to Stiff, Light Brown Lean CLAY (CL)	(3.5)				
				10						
3	12	M	9	9		(1.75)				
				15						
4	8	M	19	19	Medium Dense to Loose, Brown Fine to Medium SAND, Little to Some Silt and Gravel (SP-SM/SM)					
				20						
5	4	M	9	9						
				15						
6	18	M	16	16	Medium Dense, Light Brown Fine SAND, Trace Silt and Gravel (SP)					
				20	End of Boring at 15 ft Borehole Backfilled with Bentonite Chips and Asphalt Patch					

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/29/22 End 9/29/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Beverly Road Area
Danbury: 165'N of Beverly, 5'W of Centerline
 Location Madison, Wisconsin

Boring No. 2
 Surface Elevation (ft) 1003±
 Job No. C22051-19
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		qu (qa) (tsf)	W	LL	PL	LOI
					X	5 in. Asphalt Pavement/1 in. Base Course				
1	8	M	4			Loose, Dark Brown SILT, Trace Clay (ML - Possible Fill)				
2	10	M	6		5	Stiff, Light Brown Lean CLAY (CL)				
3	12	M	12			(1.75)				
4	12	M	8		10	Loose, Brown Fine to Medium SAND, Little to Some Silt and Gravel (SP-SM/SM)				
5	10	M	14			Medium Dense, Light Brown Silty Fine SAND (SM)				
6	14	M	18							
				15		End of Boring at 15 ft				
						Borehole Backfilled with Bentonite Chips and Asphalt Patch				
				20						

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/29/22 End 9/29/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Beverly Road Area
Danbury: 145'S of Beverly, 6'W of Centerline
 Location Madison, Wisconsin

Boring No. 3
 Surface Elevation (ft) 1012±
 Job No. C22051-19
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		qu (qa) (tsf)	W	LL	PL	LOI
				0	X	4 in. Asphalt Pavement/5 in. Base Course				
1	8	M	7	7	/	Very Stiff, Brown Lean CLAY, Trace Sand (CL)				
				10	/	(2.25)				
2	10	M	10	10	/	(3.0)				
				15	-	Medium Dense, Light Brown Fine SAND, Trace Silt and Gravel (SP)				
3	14	M	16	16	.	Dense to Medium Dense, Light Brown Fine to Coarse SAND, Some Gravel, Trace Silt (SP)				
				20	-	Dense to Medium Dense, Light Brown Fine to Coarse SAND, Some Gravel, Trace Silt (SP)				
4	10	M	44	20	-					
5	10	M	23	23	-					
6	14	M	26	26	-					
				15	-	End of Boring at 15 ft				
				15	-	Borehole Backfilled with Bentonite Chips and Asphalt Patch				

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/29/22 End 9/29/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Beverly Road Area
Beverly: 375'E of Beverly, 5'S of Centerline
 Location Madison, Wisconsin

Boring No. 4
 Surface Elevation (ft) 1005±
 Job No. C22051-19
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		qu (qa) (tsf)	W	LL	PL	LOI
					5 in. Asphalt Pavement/5.5 in. Base Course					
1	10	M	10		Very Stiff, Brown Lean CLAY (CL)	(2.5)				
2	8	M	16		Having some sand near 4 ft	(3.5)				
3	14	M	18		Medium Dense, Light Brown Silty Fine SAND (SM)					
4	18	M	29							
5	14	M	32		Dense to Medium Dense, Light Brown Fine to Coarse SAND, Some Gravel, Trace Silt (SP)					
6	16	M	27							
				15	End of Boring at 15 ft					
					Borehole Backfilled with Bentonite Chips and Asphalt Patch					
				20						

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/29/22 End 9/29/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.



LOG OF TEST BORING

Project Beverly Road Area
Dancaster: 475'W of Seminole, 8'S of Centerline
 Location Madison, Wisconsin

Boring No. 5
 Surface Elevation (ft) 1009±
 Job No. C22051-19
 Sheet 1 of 1

2921 Perry Street, Madison, WI 53713 (608) 288-4100, FAX (608) 288-7887

SAMPLE					VISUAL CLASSIFICATION and Remarks	SOIL PROPERTIES				
No.	Rec (in.)	Moist	N	Depth (ft)		qu (qa) (tsf)	w	LL	PL	LOI
				0	X	6 in. Asphalt Pavement/2 in. Base Course				
1	6	M	11	11	/	Medium Dense, Brown Clayey SAND (SC - Possible Fill)				
				5	-					
2	8	M	26	26	.	Medium Dense to Dense, Light Brown Fine to Coarse SAND, Some Gravel, Trace Silt (SP)				
				10	.					
3	12	M	42	42	.					
				15	.					
4	0	-	23	23	.	Cobble noted near 8.5 ft				
				20	.					
5	16	M	19	19	.	Medium Dense, Light Brown Fine SAND, Trace Silt and Gravel (SP)				
				25	.					
6	18	M	21	21	.					
				30	.					
				35	.					
				40	.					
				45	.					
				50	.					
				55	.					
				60	.					
				65	.					
				70	.					
				75	.					
				80	.					
				85	.					
				90	.					
				95	.					
				100	.					
				105	.					
				110	.					
				115	.					
				120	.					
				125	.					
				130	.					
				135	.					
				140	.					
				145	.					
				150	.					
				155	.					
				160	.					
				165	.					
				170	.					
				175	.					
				180	.					
				185	.					
				190	.					
				195	.					
				200	.					
				205	.					
				210	.					
				215	.					
				220	.					
				225	.					
				230	.					
				235	.					
				240	.					
				245	.					
				250	.					
				255	.					
				260	.					
				265	.					
				270	.					
				275	.					
				280	.					
				285	.					
				290	.					
				295	.					
				300	.					
				305	.					
				310	.					
				315	.					
				320	.					
				325	.					
				330	.					
				335	.					
				340	.					
				345	.					
				350	.					
				355	.					
				360	.					
				365	.					
				370	.					
				375	.					
				380	.					
				385	.					
				390	.					
				395	.					
				400	.					
				405	.					
				410	.					
				415	.					
				420	.					
				425	.					
				430	.					
				435	.					
				440	.					
				445	.					
				450	.					
				455	.					
				460	.					
				465	.					
				470	.					
				475	.					
				480	.					
				485	.					
				490	.					
				495	.					
				500	.					

WATER LEVEL OBSERVATIONS

GENERAL NOTES

While Drilling NW Upon Completion of Drilling _____
 Time After Drilling _____
 Depth to Water _____
 Depth to Cave in _____

Start 9/29/22 End 9/29/22
 Driller ADC Chief KD Rig CME-55
 Logger DB Editor ESF
 Drill Method 2.25" HSA; Autohammer

The stratification lines represent the approximate boundary between soil types and the transition may be gradual.